REQUIRECEIVED
AUG 2 3 2012

PHYSICIAN

DEPT OF ENVIRONMENT (YARMOUTH)

13 FIRST STREET, YARMOUTH, NS B5A 1S9

South West Nova Health Authority

YARMOUTH REGIONAL HOSPITAL

60 VANCOUVER ST. YARMOUTH , NS B5A 2P5

NAME: Y,R NS ENVIRONMENT

ACCT#: NX0001046/12

ADDRESS: 13 FIRST STREET

ADDRESS: YARMOUTH, NS, B5A 1S9

PHONE#: (902)742-8985 LOCATION: YR.LABO

COPIES TO: DEPT OF ENVIRONMENT (YARMOUTH) SUBMITTING DR: DEPT OF ENVIRONMENT (YARMOUTH)

COPIES TO :

Specimen: 12:W0005690R

Collected: 21/08/12-1130 Status: COMP

Received: 21/08/12-1543

Req#:

04399761

Source: LAKE

Sp Desc: RAW

Ordered: WATER QUANT

Queries: Analysis Requested Both Total and E.coli

Sample Information 408 HARRINGTON ROAD (LITTLE LAKE DOUCETTE) SAMPLE 2A

Drinking Water Category? NOT INDICATED

Contact Telephone Number 7428985 Sample temperature on receipt 16.

Sample Collected By HEATHER MACPHERSON

Date Refrigerated 21/08/12

Time 1520 Mail Y

MICROBIOLOGY

Greater than 2419 /100ML

> WATER QUANTITATIVE {MPN COUNT} Final

22/08/12-1126

TOTAL COLIFORM (MPN)

E.coli (MPN)

291 /100ML

For interpretation

For interpretation contact the Dept of Environment and

Labor

RESULTS RELATE TO WATER

These results relate only to the water sample

submitted.

South West Nova Health Authority

YARMOUTH REGIONAL HOSPITAL 60 VANCOUVER ST.

YARMOUTH , NS B5A 2P5

NAME: Y, R NS ENVIRONMENT

ACCT#: NX0001046/12

ADDRESS: 13 FIRST STREET ADDRESS: YARMOUTH, NS, B5A 1S9

PHONE#: (902)742-8985

LOCATION: YR.LABO

COPIES TO: DEPT OF ENVIRONMENT (YARMOUTH) SUBMITTING DR: DEPT OF ENVIRONMENT (YARMOUTH)

COPIES TO :

Specimen: 12:W0005691R

Collected: 21/08/12-1140 Status: COMP

Req#: 04399762

Received: 21/08/12-1520

Source: LAKE Sp Desc: RAW

Ordered: WATER QUANT

Queries: Analysis Requested Both Total and E.coli

Sample Information 408 HARRINGTON ROAD (LITTLE LAKE DOUCETTE) SAMPLE 3A

Drinking Water Category? NOT INDICATED Contact Telephone Number 742 8985 Sample temperature on receipt 16.

Sample Collected By HEATHER MACPHERSON

Date Refrigerated 21/08/12

Time 1520 Mail Y

MICROBIOLOGY

Greater than 2419 /100ML

> WATER QUANTITATIVE (MPN COUNT) Final

22/08/12-1128

TOTAL COLIFORM (MPN)

E.coli (MPN)

38 /100ML

For interpretation

For interpretation contact the Dept of Environment and

Labor

RESULTS RELATE TO WATER

These results relate only to the water sample

submitted.

South West Nova Health Authority

YARMOUTH REGIONAL HOSPITAL

60 VANCOUVER ST. YARMOUTH , NS B5A 2P5 NAME: Y, R NS ENVIRONMENT

ACCT#:NX0001046/12

ADDRESS: 13 FIRST STREET
ADDRESS: YARMOUTH, NS, B5A 1S9

PHONE#: (902)742-8985 **LOCATION:** YR.LABO

COPIES TO: DEPT OF ENVIRONMENT (YARMOUTH)
SUBMITTING DR: DEPT OF ENVIRONMENT (YARMOUTH)

COPIES TO :

Specimen: 12:W0005692R Collected: 2

Collected: 21/08/12-1120 Status: COMP

Req#: 04399765

Received: 21/08/12-1520

Source: LAKE Sp Desc:RAW

Ordered: WATER QUANT

Queries: Analysis Requested Both Total and E.coli

Sample Information 408 HARRINGTON ROAD (LITTLE LAKE DOUCETTE) SAMPLE 1A

Drinking Water Category? NOT INDICATED

Contact Telephone Number 7428985 Sample temperature on receipt 16.

Sample Collected By HEATHER MACPHERSON

Date Refrigerated 21/08/12

Time 1520 Mail Y

MICROBIOLOGY

> WATER QUANTITATIVE (MPN COUNT) Final

TOTAL COLIFORM (MPN)

E.coli (MPN)

For interpretation

Greater than 2419 /100ML.

127 /100ML

For interpretation contact the Dept of Environment and

22/08/12-1132

Labor

RESULTS RELATE TO WATER These results rela

These results relate only to the water sample

submitted.

Mink Farm Inspection Guide

1. Farm Information	
Inspection Date: August 21, 2012	D
Farm Name: Jason Mules Mink Reach - May flour locat	<u>پہر</u>
Contact:	
Contact Title:	
Property Owner(-\'\)	
Street: 408 Harington Ra community: May Flove.	
Mailing Address: Kht 4 Waymouth Digby BOW STO	
Phone:	
PID#: 50252563	
GPS Coordinates:	
2. Operation Information	
Type and # of animals present:	
Type and # of animals formerly present: Date Animals Removed: Date Animals Removed: Date Animals Removed:	- 20^
# of barns present:	-
# of Animals/barn: — 700	_
# of Breeding Females: 3000	
Animals processed on-site?yesno If "No" on-site processing, where are animals processed?	
340 60-0	- -
ì	

	NIA
<u>Envi</u>	ronmental Risk Evaluation
	mity of facility to: reourse: **Dmtus**
Grou	ndwater conduits (i.e. improperly sealed wells, excavations to groundwater):
Waste	e Water:
Estim	ate of water usage volume (rate): Lups used for unituring— Automated
	module surrest from this fractice
Water	source(s): Arely and along und
	<u> </u>
Waste water	Water Disposal Practices (i.e water from feed room, water between pens, was collection systems, etc.):
M	inff its detching behind upper hums
	ere runoff conduits leading to sensitive environments (watercourses or ground

^{*} Groundwater conduits (i.e. improperly sealed wells, excavations to groundwater)

	
	Little Luke Visuatte
Aira thara maa	
Are mere pos	sible mitigating options?
	- yw
Wastewater T	months aut.
wasiewaler 1	reatment:
	No ribe treatment (i.e. Lagoons, Dissolved Air Flotation Unit(s), Other)
	ribe treatment (i.e. Lagoons, Dissolved Air Flotation Unit(s), Other)
	ribe treatment (i.e. Lagoons, Dissolved Air Flotation Unit(s), Other)
If waste water	ribe treatment (i.e. Lagoons, Dissolved Air Flotation Unit(s), Other)
If waste water collected and a	ribe treatment (i.e. Lagoons, Dissolved Air Flotation Unit(s), Other) is treated on site, samples of raw and treated waste water should be
If waste water collected and a sthere offsite Yes	ribe treatment (i.e. Lagoons, Dissolved Air Flotation Unit(s), Other) is treated on site, samples of raw and treated waste water should be nalyzed if the discharge is to, or near, watercourses. treatment of waste water?
If waste water collected and a sthere offsite Yes	ribe treatment (i.e. Lagoons, Dissolved Air Flotation Unit(s), Other) is treated on site, samples of raw and treated waste water should be nalyzed if the discharge is to, or near, watercourses. treatment of waste water? No s waste water removed from the site?
If waste water collected and a sthere offsite Yes	ribe treatment (i.e. Lagoons, Dissolved Air Flotation Unit(s), Other) is treated on site, samples of raw and treated waste water should be nalyzed if the discharge is to, or near, watercourses. treatment of waste water? No
If waste water collected and a sthere offsite Yes	ribe treatment (i.e. Lagoons, Dissolved Air Flotation Unit(s), Other) is treated on site, samples of raw and treated waste water should be nalyzed if the discharge is to, or near, watercourses. treatment of waste water? No s waste water removed from the site?
If waste water collected and a sthere offsite Yes	ribe treatment (i.e. Lagoons, Dissolved Air Flotation Unit(s), Other) is treated on site, samples of raw and treated waste water should be nalyzed if the discharge is to, or near, watercourses. treatment of waste water? No s waste water removed from the site?
If waste water collected and a sthere offsite Yes f "Yes", how is	ribe treatment (i.e. Lagoons, Dissolved Air Flotation Unit(s), Other) is treated on site, samples of raw and treated waste water should be nalyzed if the discharge is to, or near, watercourses. treatment of waste water? No s waste water removed from the site?

	ribe manure handling and disposal practices:
	HI WI WOE NO 17 PLACE
	
Descr	ibe feed handling and disposal practices:
`	A destruction of the second of
	- July amyona on se
Does t	he operation utilize Superphosphate?
Distan	ces from Solid Waste Source to Receptors:
	\sim 80.4 \pm 7
	<u>overus</u>
Is the r	eceptor at reasonable risk of contamination from the solid waste source?
<u>/</u> Yes	No
If "Yes	"what are the mitigating options?
Į	Theeline brud for dila
	0/ 1 1 1 0
	plans to miligate things
	V U
ther ol	oservations (i.e. domestic sewage or other non-operational contamination sou

n . n.	
<u>Future Plans</u>	of Operation (i.e. expansion, reduction, discontinuation, etc.)
	me plans to he pand a
	reduce
ı	
	Ω
al or Provincial	legislation taking lead?:
does not have to	be determined on inspection day)
	•
tor/Officer:	Marchino
	- Wilamhann,
ment:	



Phone: (902) 742-8985 Fax: (902) 742-7796

FILE ACTIVITY REPORT

Folder Name: 408 Harrington Rd, Mayflower, Digby Co. -Complaint

Approval Holder:

File #: 95100-35-YAR-2454494

Contact Name:

5.20

Staff: Heather Macpherson

Date: August 27, 2012

Time: 1400hrs

Topic: to review the Directive issued

Spoke with to review contents of inspection report and Directive which is issued in his name. Timeline for submission of action plan reviewed with, If deadline can not be achieved the Department would have to be notified of this an rationale for not meeting deadline.

Inspector relayed to may want to incorporate the recommendations provided by Department of Agriculture into the action plan.

No questions from

at this time.

s.ad

From:

Heather T Macpherson

To:

Date:

8/28/2012 11:45 AM

Subject:

Little Lake Doucette - NSE

Hello

I would like to offer a client call back. Could you please provide a contact # for yourself.

Thank You

Heather

Heather Macpherson Inspector Specialist Nova Scotia Environment Environmental Monitoring and Compliance Division Yarmouth District Office, 13 First St 742-8985 phone 742-7796 fax



Phone: (902) 742-8985 Fax: (902) 742-7796

FILE ACTIVITY REPORT

Folder Name: 408 Harrington Rd, Mayflower, Digby Co. -Complaint

Approval Holder:

File #: 95100-35-YAR-2454494

Contact Name: DFO C&P Officer Earl Hope - Meteghan Detatchment

Staff: Heather Macpherson

Date: August 28, 2012

Time: 1140hrs

Topic: Client call back

Complaint call sent to DFO initially as well as NSE. Complainant name not provided to NSE by DFO. C&P Officer requested that NSE contact DFO to provide client call back info which will the be relayed to the complainant by DFO.

The general information as relayed to other complainants on August 24th (refer to file activities dated Aug. 24th) was provided to C&P Officer as previously requested.



Phone: (902) 742-8985 Fax: (902) 742-7796

FILE ACTIVITY REPORT

Folder Name: 408 Harrington Rd, Mayflower, Digby Co. -Complaint

Approval Holder:

File #: 95100-35-YAR-2454494

S.ad

Contact Name:

Staff: Heather Macpherson

Date: August 24, 2012

Time: 1520hrs

Topic: client call back

Client call back. Spoke with to relay that an inspection was completed on Aug 21 jointly with Dept. of Agriculture and that a Directive issued requesting an action plan to control runoff. Inspector informed that there is currently no ongoing release and that short term measures have been implemented on the farm prior to inspection.

Inspector relayed that a follow up inspection and a follow up call will be made at the end of the fur farm season once an action plan has been submitted and mitigation measures underway.



Phone: (902) 742-8985 Fax: (902) 742-7796

FILE ACTIVITY REPORT

Folder Name: 408 Harrington Rd, Mayflower, Digby Co. -Complaint

Approval Holder:

File #: 95100-35-YAR-2454494

Contact Name: Arnold Doucet

Staff: Heather Macpherson

Date: August 24, 2012

Time: 1500hrs

Topic: call back

Client call back. Spoke with Mr. Doucet to relay that an inspection was completed jointly with Dept of Agriculture on Aug 21 and that an action plan would be required from the farm to control runoff. Inspector informed Mr. Doucet that there is currently no release as short term measures have been implemented on the farm, prior to inspection. Inspector also relayed that a follow up inspection and a follow up call to the complaints will be made at the end of the fur farm season once an action plan has been submitted and mitigation measures underway.



Phone: (902) 742-8985 Fax: (902) 742-7796

FILE ACTIVITY REPORT

Folder Name: 408 Harrington Rd, Mayflower, Digby Co. -Complaint

Approval Holder:

File #: 95100-35-YAR-2454494

6.20

Contact Name:

Staff: Heather Macpherson

Date: August 24, 2012

Time: 1420hrs

Topic: call back

Client call back. Spoke with to relay that an inspection was completed jointly with Dept of Agriculture on Aug 21 and that a Directive will be issued requesting an action plan to control runoff.

Inspector informed that there is currently no ongoing release and short term measures have been implement on the farm.

Inspector relayed that a follow up inspection and a follow up call to the complainants will be made at the end of the fur farm season once an action plan has been submitted and mitigation measure underway.



Phone: (902) 742-8985 Fax: (902) 742-7796

06.7

FILE ACTIVITY REPORT

Folder Name: 408 Harrington Rd, Mayflower, Digby Co. -Complaint

Approval Holder:

File #: 95100-35-YAR-2454494

Contact Name:

Staff: Heather Macpherson

Date: August 24, 2012

Time: 1400hrs

Topic: Complainant call back


Client call back. Spoke with to relay that an inspection was completed jointly with Dept of Agriculture and that a Directive will be issued requesting an action plan control runoff. Inspector informed that there is currently no ongoing release and short term measures have been implemented

on the farm.

Inspector relayed that a follow up inspection and follow up call to the complainants will be made at end of the fur farm season once an action plan has been submitted and mitigation measures underway. No further voiced concerns from complainant at this time.

Property Online Map

Date: Aug 27, 2012 9:12:38 AM



PID:

30252563

County: DIGBY COUNTY

LR Status: NOT LAND REGISTRATION

Owner: ROBERT L HUBY

CLAUDETTE V HUBY

Address: 408 HARRINGTON

ROAD

MAYFLOWER

AAN: 04148266

Value: \$1,600 (2012 RESOURCE FARM)

\$23,500 (2012 RESOURCE

TAXABLE)

The Provincial mapping is a graphical representation of property boundaries which approximate the size, configuration and location of parcels. Care has been taken to ensure the best possible quality, however, this map is not a land survey and is not intended to be used for legal descriptions or to calculate exact dimensions or area. The Provincial mapping is not conclusive as to the location, boundaries or extent of a parcel [Land Registration Act subsection 21(2)]. THIS IS NOT AN OFFICIAL RECORD.

Property Online version 2.0

This page and all contents are copyright © 1999-2003, Government of Nova Scotia, all rights reserved.

The inspection report has been received by:

Signature:

Print Name of Person Signing:

Date:

Signature of Inspector:

Date:

This inspection was conducted by Heather Macpherson, Inspector Specialist with Nova Scotia

This inspection was conducted by Heather Macpherson, Inspector Specialist with Nova Scotia Environment, who may be contacted at:

Nova Scotia Environment 13 First Street Yarmouth, N.S. B5A 1S9 Phone: (902) 742-8985 Fax: (902) 742-7796 http://www.gov.ns.ca/nse/

REÇU/RECEIVED

SEP 11202

95100-01-00 61

Action Plan Mink Banch 408 HARRINGTON Rel.

Coveretty Installing Directing nyples to replace overflowing water eups). This will eliminate water from overflowing cups to mix with marwel and make less water on ground under much pens. also installing Vinyle gotters on pens to cotch rain water from entering existing ditch. There will be pipes buried under ground to transfer water from gutters to the front of pend opposite from lake. This will help control water entering the existing ditch. We will also be sausoning the ground between pers) to keep water that falls between pens from nixing with menture under pens).



Phone: (902) 742-8985 Fax: (902) 742-7796

FILE ACTIVITY REPORT

Folder Name: 408 Harrington Rd, Mayflower, Digby Co. -Complaint

Approval Holder:

File #: 95100-35-YAR-2454494

O6.8

Contact Name:

Staff: Heather Macpherson

Date: September 28, 2012

Time: 0940hrs

Topic: Update

Call to

on the farm. No answer, message left to return

call.

Nature of call - to inquire on status of action items proposed in the plan previously submitted by under the Directive issued.

A follow up inspection will be scheduled in October of 2012 to confirm long term measures taken.

From:

Heather T Macpherson

To:

Shannon, Danny T

Date: Subject: 9/12/2012 9:44 AM
Mink Farm Directive Action plan - Heather

Hi Danny,

I recently issued a Directive to the day to day operator of a mink Farm (original compliant was release of mink waste to Little Lake Doucette and has the video with it)

Folder RSN 2454494

The action plan was submitted by the day to day operations Manager and included the following plans: To help control surface water and excess water from drinking cups from mixing with mink waste and entering the existing ditch

-currently installing drinking nipples to replace cups

-installing vinyl gutters on pens

-Installing pipes underground to transfer waster from the gutters to the front of pens (opposite the lake)

-"saucering" the ground between the pens to keep surface water from mixing with the manure.

S.14

папкѕ

Heather

consult womplitud Supt 20, 2012 (OH)



Phone: (902) 742-8985 Fax: (902) 742-7796

FILE ACTIVITY REPORT

Folder Name: 408 Harrington Rd, Mayflower, Digby Co. -Complaint

Approval Holder:

File #: 95100-35-YAR-2454494

S. 20

Contact Name:

Staff: Heather Macpherson

Date: August 29, 2012

Time: 1015hrs

Topic: Client call back

Call back provided as requested by complainant. Reviewed with the following: that an inspection was conducted jointly with NS Dept of Agriculture on August 21. Property owner and daily operations Manager took measures prior to inspection to prevent further release. An action plan will be required to be submitted to the Department via a Directive issued and should outline long term measures to manage runoff and prevent release of substance to a sensitive environment such as a watercourse. A follow up inspection will be conducted around end of season.

5.30

From:

To:

"Heather T Macpherson" <MACPHEHT@gov.ns.ca>

Date:

8/28/2012 6:30 PM

Subject:

Re: Little Lake Doucette - NSE

Hi Heather my contact number is
-----Original Message----From: Heather T Macpherson
To:
Subject: Little Lake Doucette - NSE
Sent: Aug 28, 2012 11:45 AM

Hello

I would like to offer a client call back. Could you please provide a contact # for yourself.

Thank You

Heather

Heather Macpherson Inspector Specialist Nova Scotia Environment Environmental Monitoring and Compliance Division Yarmouth District Office, 13 First St 742-8985 phone 742-7796 fax

Sent wirelessly from my BlackBerry device on the Bell network. Envoyé sans fil par mon terminal mobile BlackBerry sur le réseau de Bell.

Form 7 Request for Review Province of Nova Scotia Freedom of Information and Protection of Privacy Act Subsection 32(1) (Applicant)

TO: Review Officer P.O. Box 181 Halifax, NS B3J 2M4

		sonal Information		- · · · · · · ·		(specify publi	c body) o
which A	pplicatio	n or Request is at	tached to	this Request	for Review.		
2. The ap	plicant r	equests that the re the public body;	eview of	ficer review the	e following dec	ision, act or fa	ilure to
Check wi	here appl	icable					
	_ (a)	decision dated o	r made o attache	on the did to this Reque	ay ofst for Review;	, 20	, a
	_ (b)	(specify act or fa	ilure to	acı)			
The app		quests that the rev	iew offic	er recommend	that		
			public b	ody vive acces	s to the	as requested in	
	ere applic	able the head of the	public b	ody give acces ess to a Record	s to the record a		

[Note: lettering as in original.]	•
Date:	
Signature of Applicant: Print Full Name of Applicant:	
Mailing Address of Applicant:	(Street/Apartment No./R.R. No.)
	(Community/County)
	(Postal Code)
Telephone Numbers of Applicant:	(Residence) / (Business)
Fax Number of Applicant:	